

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Propositional Logic, II

Proof by Contradiction
Proof by Cases

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.1

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Proof by Contradiction

$$\frac{\neg P \rightarrow (Q \wedge \neg Q)}{P}$$

Alternatively,
$$\frac{\bar{P} \rightarrow \mathbf{F}}{P}$$

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.2

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Proof by Contradiction

Theorem: $\sqrt{2}$ is irrational.

Proof (by contradiction):

- Suppose $\sqrt{2}$ was rational.
- Choose m, n integers without common prime factors (always possible) such that

$$\sqrt{2} = \frac{m}{n}$$

- Show that m & n are both even, a contradiction!

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.3

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Proof by Contradiction

Theorem: $\sqrt{2}$ is irrational.

Proof (by contradiction):

$\sqrt{2} = \frac{m}{n}$ $\sqrt{2}n = m$ $2n^2 = m^2$ <p>so m is even.</p>	<p>so can assume $m = 2l$</p> $m^2 = 4l^2$ $2n^2 = 4l^2$ $n^2 = 2l^2$ <p>so n is even.</p>
---	--

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.4

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Quickie

Proof assumes that

If m^2 is even, then m is even.

Why!

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.5

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Team Problem

Problem 1

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.6

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Proof by Truth Tables

DeMorgan's Law

$\neg(P \vee Q)$ is equivalent to $\bar{P} \wedge \bar{Q}$

P	Q	$\neg(P \vee Q)$
T	T	F
T	F	F
F	T	F
F	F	T

\bar{P}	\bar{Q}	$\bar{P} \wedge \bar{Q}$
F	F	F
F	T	F
T	F	F
T	T	T

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.7

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Proof by Deductions

A student is trying to prove that propositions P , Q , and R are all true. She proceeds as follows.

First, she proves three facts:

- P implies Q
- Q implies R
- R implies P .

Then she concludes,

“Thus P , Q , and R are obviously all true.”

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.8

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Proposed Deduction Rule

From: P implies Q , Q implies R , R implies P

Conclude: P , Q , and R are true.

$$\frac{(P \rightarrow Q), (Q \rightarrow R), (R \rightarrow P)}{P \wedge Q \wedge R}$$

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.9

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Sound Rule?

Conclusion true whenever all antecedents true.

$$P \rightarrow Q \quad Q \rightarrow R \quad R \rightarrow P \quad P \wedge Q \wedge R$$

Antecedents

Conclusion

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.10

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Sound Rule?

Conclusion true whenever all antecedents true.

P	Q	R
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

$$P \rightarrow Q \quad Q \rightarrow R \quad R \rightarrow P \quad P \wedge Q \wedge R$$

Antecedents

Conclusion

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.11

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Sound Rule?

Conclusion true whenever all antecedents true.

P	Q	R
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

$p \rightarrow q$	$q \rightarrow r$	$r \rightarrow p$
T	T	T
T	F	T
F	T	T
F	T	T
T	T	F
T	F	T
T	T	F
T	T	T

$p \wedge q \wedge r$	sound?
T	
F	
F	
F	
F	
F	
F	
F	

Antecedents

Conclusion

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.12

6 9 13 7
12 10 5
3 1 4 14
15 8 11 2

Sound Rule?

Conclusion true whenever all antecedents true.

P	Q	R
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

$p \rightarrow q$	$q \rightarrow r$	$r \rightarrow p$
T	T	T
T	F	T
F	T	T
F	T	T
T	T	F
T	F	T
T	T	F
T	T	T

$p \wedge q \wedge r$	sound?
T	
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK

Sept. 12, 2005 Copyright © Albert R. Meyer, 2005. lec 2M.13

6 9 13 7
12 10 5
3 1 4 14
15 8 11 2

Sound Rule?

Conclusion true whenever all antecedents true.

P	Q	R
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

$p \rightarrow q$	$q \rightarrow r$	$r \rightarrow p$
T	T	T
T	F	T
F	T	T
F	T	T
T	T	F
T	F	T
T	T	F
T	T	T

$p \wedge q \wedge r$	sound?
T	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK

Sept. 12, 2005 Copyright © Albert R. Meyer, 2005. lec 2M.14

6 9 13 7
12 10 5
3 1 4 14
15 8 11 2

Sound Rule?

Conclusion true whenever all antecedents true.

P	Q	R
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

$p \rightarrow q$	$q \rightarrow r$	$r \rightarrow p$
T	T	T
T	F	T
F	T	T
F	T	T
T	T	F
T	F	T
T	T	F
T	T	T

$p \wedge q \wedge r$	sound?
T	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK

Sept. 12, 2005 Copyright © Albert R. Meyer, 2005. lec 2M.15

6 9 13 7
12 10 5
3 1 4 14
15 8 11 2

Sound Rule?

Conclusion true whenever all antecedents true.

P	Q	R
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

$p \rightarrow q$	$q \rightarrow r$	$r \rightarrow p$
T	T	T
T	F	T
F	T	T
F	T	T
T	T	F
T	F	T
T	T	F
T	T	T

$p \wedge q \wedge r$	sound?
T	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	OK
F	NOT OK!

Sept. 12, 2005 Copyright © Albert R. Meyer, 2005. lec 2M.16

6 9 13 7
12 10 5
3 1 4 14
15 8 11 2

Reasoning by Cases

Quicker proof of unsoundness than from truth tables

Sept. 12, 2005 Copyright © Albert R. Meyer, 2005. lec 2M.17

6 9 13 7
12 10 5
3 1 4 14
15 8 11 2

Quicker by Cases

$$\frac{P \rightarrow Q, Q \rightarrow R, R \rightarrow P}{P \wedge Q \wedge R}$$

Case 1: P is true. Now, if antecedents are true, then Q must be true (because P implies Q). Then R must be true (because Q implies R). So the conclusion $P \wedge Q \wedge R$ is true. This case is OK.

Sept. 12, 2005 Copyright © Albert R. Meyer, 2005. lec 2M.18

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Quicker by Cases

$$\frac{P \rightarrow Q, Q \rightarrow R, R \rightarrow P}{P \wedge Q \wedge R}$$

$$P \wedge Q \wedge R$$

Case 2: P is false. To make antecedents true, R must be false (because R implies P), so Q must be false (because Q implies R). This assignment does make the antecedents true, but the conclusion $P \wedge Q \wedge R$ is (very) False. This case is not OK.

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.19

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Goldbach Conjecture

Every even integer greater than 2 is the sum of two primes.

Evidence: $4 = 2 + 2$

$$6 = 3 + 3$$

$$8 = 5 + 3$$

⋮

$$20 = ? \quad 13 + 7$$

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.20

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Goldbach Conjecture

True for all even numbers with up to 13 digits! (Rosen, p.182)

It remains an OPEN problem: no counterexample, no proof. UNTIL NOW!...

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.21

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Goldbach Conjecture

The answer is on my desk! (Proof by Cases)

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.22

6	9	13	7
12		10	5
3	1	4	14
15	8	11	2

Team Problem

Problems 2 & 3

Sept. 12, 2005

Copyright © Albert R. Meyer, 2005.

lec 2M.23