

# Dark Matter Comes to Light

Richard J. Massey, Lars Lindberg Christensen and Felice Frankel

*A query from Sightings contributor Felice Frankel sparked a lively dialogue between two of the makers involved in creating astronomy's first maps of the "dark matter" of the cosmos.*

**R. J. M.** My colleagues and I recently used the Hubble Space Telescope to make the first large-scale maps of the mysterious substance known as "dark matter." Dark matter is completely unlike the familiar material from which everything around us is built—everything that we can see, touch or breathe. For a start, dark matter is completely invisible! So, aside from the difficulty of finding it in the first place, our map raises a rather tricky data-visualization problem: how to best represent an invisible substance?

**L. L. C.** You could compare previous maps of the cosmos—made by mapping luminous galaxies—to nighttime snapshots of a city. Streetlights illuminate some highways and intersections, but most of the interesting neighborhoods remain obscured. In the satellite image of North America at right, you just can't see most of what's there.


**R. J. M.** The universe is exactly the same: The glowing stars, galaxies and planets make up only one-sixth of the total landscape. The remainder is a grand but invisible skeleton of dark matter. It is the infrastructure of the cosmos, literally holding the universe together.

We can't see dark matter directly, but we can infer its presence via the effect it has on things we *can* see. So we looked at ordinary but incredibly distant galaxies, which make a wallpaper pattern on the far side of the universe. Light from these galaxies had to pass through any intervening dark matter during its long journey to us. The dark matter shows up in a sort of silhouette against those background lights—but it's not that the distant galaxies look fainter, rather that they change shape. This "gravitational lensing" is like looking through a wobbly sheet of glass. Nearby dark matter gives itself away by distorting the apparent shape of objects behind it.

We used Hubble to study the shapes of half a million galaxies, and made a two-dimensional map of dark matter in a patch of sky eight times the size of a full moon. The colors in this were kept dark and shaded blue for a cold, icy feel. Blue is normally avoided in data visualization, because



An image of North America's lights at night (*above*) leaves most details dark. So too with the universe: Glowing stars and galaxies make up one-sixth of the landscape. A two-dimensional map of a patch of the cosmic scaffolding or "dark matter" from the Hubble Space Telescope COSMOS survey (*below*) shows densities along a line of sight determined from gravitational lensing. (Image above NOAA/DMSP; image below and top image next page adapted from *Nature* 445:286–290, courtesy of Richard Massey.)



*Richard J. Massey is a postdoctoral researcher in astronomy at the California Institute of Technology, and Lars Lindberg Christensen heads the Hubble European Space Agency Information Center. Felice Frankel is a senior research fellow in the Faculty of Arts and Sciences at Harvard University, where she heads the Envisioning Science project at the Initiative in Innovative Computing (IIC). Address for Massey: 105-24 Caltech, 1201 E. California Boulevard, Pasadena, CA 91125. Internet: rjm@astro.caltech.edu*

the poor response of the eye makes it difficult to see details, but that seemed wholly appropriate! The contours were omitted by artist Zolt Levay in a separate version, to provide a smoother, flowing texture.

A tougher visualization challenge was posed by our 3-D dark-matter map, which we obtained by also measuring the distance to lumps of dark matter. We made a  $32 \times 32 \times 20$  data cube, each voxel containing the measured density (a voxel is a cubic unit in a 3-D volume, analogous to a pixel in a 2-D image). I first drew an isodensity surface, which captured some of the filamentary structure. However, this opaque surface felt too solid and frustratingly discarded information about the densest clumps, which were hidden from view. To meet publication deadlines, the figure was scheduled in November for an article in *Nature*. The rest of the COSMOS team ridiculed my apparent pile of deformed potatoes, despairing that such grocery would ever sell to the public. Clearly needing help with visualizations for our January press release, we approached professionals at NASA and the European Space Agency (ESA).


**L. L. C.** Although time was short, and holidays intervened as the American Astronomy Society meeting date approached, we realized the potential of spending time on the data to present this amazing result in a more intuitive manner.

Designer Martin Kornmesser and advanced developer Kasper Nielsen at ESA made another isodensity surface, importing this information as a virtual-reality markup language file into a program used for high-end visualization and movie animation.


**R. J. M.** We debated a while about geometry. The survey is of a fixed angle on the sky, so it really covers a cone-shaped volume. But showing the data set as such made it look like the universe is getting smaller over time—whereas the reverse is true. To avoid confusion, we side-stepped the issue and compressed it into a box.

**L. L. C.** Along the way, we made several attempts to capture the diffuse nature of dark matter, experimenting with various software techniques. The rendering was smoothed using a tool for subdividing and refining the representation of surfaces. Light sources were placed inside the isodensity surfaces.



We worked with glow effects, and in the end used a Fresnel shader as texture to give the transparent look that helps in getting an overview of the magnificent 3-D structure. It was then colored blue. The shader applies the principles of the Fresnel effect, the fact that reflectance depends on the observer's viewing




Three-dimensional map of dark matter, as originally prepared by the scientists, shows an isodensity surface containing volumes of high density. The figure is rotated with the plane of the sky horizontal and Hubble's view looking down from the top.




Smoothing and interior light sources were used to make an isodensity surface for dark matter look more gaseous. (Images here and below courtesy of Martin Kornmesser, European Space Agency/Hubble.)




Designers worked with glow effects (a) and a Fresnel shader (b) to add transparency, then added context: background galaxies, galaxies on top of the dark matter and a little Hubble Space Telescope (c).



In the final representation of the data released on the Web for press and public, three slices above the 3-D image show extracts of the data. (Image courtesy of Martin Kornmesser, European Space Agency/Hubble.)



Similarities between Brent Tully's early map of galaxies from 1990, using isodensity surfaces (left), and the version of the first dark-matter map seen above are striking. A modern 2-D map of galaxy positions (below) shows the improvement in detail since 1990 and hints at the potential for dark-matter mapping in years to come. (Images courtesy of Brent Tully, University of Hawaii, and the 2dF Galaxy Redshift Survey, respectively.)



angle. The impression on the eye is similar to looking through water.

We also experimented with context. Clearly the 3-D "blobs" look nice but have little connection with the actual universe. One of our drafts featured the background galaxies, whose photons were so instrumental as "test particles" for probing the gravitational pull exerted by the dark matter.

On top of the dark-matter-density peaks we sprinkled the luminous galaxies, which illustrated another important result: Dark and luminous matter are very well aligned, which independently confirms existing cosmological theories. We put in a little model of Hubble itself, out of scale, to indicate how the observations were done. In the end we decided that the way-out-of-scale Hubble and the fake galaxies introduced too much extraneous material, and we chucked the draft.

**R. J. M.** Actually, I really loved that image and have to confess that I slipped it to a couple of journalists. You were worried it looked like frogspawn, but I think that's a lovely analogy for the slippery and elusive dark matter! It shows how well the Fresnel effect works.

**L. L. C.** Yes, and we'd been working under such intense time pressure that we hadn't realized that you liked it so much.

In the end a large package of stills and video footage was released on the Web. The main image showed our ice-blue isodensity surface and three planes extracted from the scientists' data with indications of their distances in space. A little Hubble is observing them.

The pioneers in all this were R. Brent Tully at the University of Hawaii and later Margaret Geller and John Huchra of the Harvard-Smithsonian Center for Astrophysics. Tully was one of the first to map luminous matter—galaxies and stars—in the late '80s and early '90s. One of the ways he showed the maps in those early days, when relatively few galaxy positions were known, was to show their distribution with an isodensity surface.

Of course the resolution of Tully's representations has since improved. This will happen to the dark-matter maps in coming years. Funny how history repeats itself.

**R. J. M.** There's a natural instinct, when exploring an unknown place, to draw a map. We now know there's a lot of dark matter out there. Science continues the work of the New World explorers, adding flesh to the bones of a map to understand what's around us.

MIT OpenCourseWare  
<http://ocw.mit.edu>

Resource: Making Science and Engineering Pictures: A Practical Guide to Presenting Your Work  
Felice Frankel

The following may not correspond to a particular course on MIT OpenCourseWare, but has been provided by the author as an individual learning resource.

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.